



gcp applied technologies

Calibration of Liquid Admixture Report

Customer Name: Superior Materials

Location: Flint, MI

Plant #: 20

Admix Name	Control Panel Reading		Calibrated Container Reading		Variance (+/- %)
	Oz.	ml.	Oz.	ml.	
Dalox II	52	53	53		+2%
Zyla G30	99	98	98		-1%
Recover	102	102	102		0
Mira 110	102	103	103		+1%
Mira 95	105	104	104		-1%
Polysat	100		100		0
Water	20 Gallons		20 Gallons		0
Rheobuild	100		100		0
DCI	100		99		-1%

(Reference: 1 oz. = 29.57 ml, Variance = (Calibrated Container Reading / Control Panel Reading) - 1, expressed in %)

We certify that the above mentioned admixture systems are accurate within 3% tolerances.

[Signature]
GCP Representative, Signature

Math Kittel
GCP Representative, Printed

5/4/2022
Date

State Inspector/Witness, Signature

State Inspector/Witness, Printed

Date

We hope the information given here will be helpful. It is based on our best knowledge, and we believe it to be true and accurate. Please read all statements, recommendations or suggestions herein in conjunction with our conditions of sale which apply to all goods supplied by us. We assume no responsibility for the use of these statements, recommendations, or suggestions, nor do we intend them as a recommendation for any use which would infringe any patent or copyright.